

### KHG-H Ceiling Non-Vent Type Ventilation Fan




Application



Dimensions (mm)

Model	A	B	C	D	E	F	G	H
KHG-20H(8")	253	218	302	275	100	13	8	1.7Kg
KHG-25H(10")	278	260	324	300	100	13	8	1.8Kg
KHG-30H(12")	303	274	355	328	108	13	8	2.1Kg



Model No.	Rating Voltage (V)	Rating Frequency (Hz)	Power (W)	Air Delivery (M <sup>3</sup> /h)	Noise (dB)	Package Specification		
						Dimension (cm)	Carton Qty(set)	Total Weight (kg)
KHG-20H(8")	110~130V 220~240V	50/60	23	480	43	62X45.3X35.5	6	12.5
KHG-25H(10")		50/60	28	600	49	66.5X45.6X34.5	6	13.9
KHG-30H(12")		50/60	35	720	55	73X45.5X38	4	10.8

### KHG-I Ceiling Non-Vent Type Ventilation Fan




Application




Dimensions (mm)

Model	A	B	C	D	E	F	G	H
KHG-20I	255	160	190	112	32	99	200	1.3Kg
KHG-25I	303	160	193	112	33	99	240	1.6Kg
KHG-30I	344	180	325	123	34	123	285	2.1Kg



Model No.	Rating Voltage (V)	Rating Frequency (Hz)	Power (W)	Air Delivery (M <sup>3</sup> /h)	Noise (dB)	Package Specification		
						Dimension (cm)	Carton Qty(set)	Total Weight (kg)
KHG-20I	110~130V 220~240V	50/60	28	400	45	53.5x51x28.5	6	11.2
KHG-25I		50/60	30	500	45	63.5x51x33.5	6	13.5
KHG-30I		50/60	35	680	45	71.5x57x37.5	6	17

### KHG-K Ceiling Non-Vent Type Ventilation Fan



Dimensions (mm)

Model	A	B	C	D	E	F	G
KHG20-K	246	170	210	120	45	99	202
KHG25-K	270	175	240	130	45	99	226

Application




Model No.	Rating Voltage (V)	Rating Frequency (Hz)	Power (W)	Air Delivery (M <sup>3</sup> /h)	Noise (dB)	Package Specification			
						Dimension (cm)	Carton Qty(set)	N.W	G.W
KHG20-K	110~130V 220~240V	50/60	28	400	45	53.5x51x28.5	6	7.8	10.2
KHG20-K		50/60	32	550	45	57x56x30	6	8.6	10.8

### KHG-L Ceiling Non-Vent Type Ventilation Fan




Dimensions (mm)

Model	A	B	C	D	E	F	G
KHG20-L	246	170	210	120	45	99	202
KHG25-L	270	175	240	130	45	99	226



Application




Model No.	Rating Voltage (V)	Rating Frequency (Hz)	Power (W)	Air Delivery (M <sup>3</sup> /h)	Nose (dB)	Package Specification			
						Dimension (cm)	Carton Qty(set)	N.W	G.W
KHG20-L	110~130V	50/60	28	400	45	54.5x52x27.5	6	7.8	10.2
KHG20-L	220~240V	50/60	32	550	45	57x56x30	6	8.6	10.8

### KHG-J Ceiling Non-Vent Type Ventilation Fan




Dimensions (mm)

Model	A	B	C	D	E	F	G	H
KHG-QF-J(8")	270	210	99	223	140	45	165	1.5Kg
KHG-QF-J(10")	336	250	99	280	140	45	170	1.8Kg



Application




Model No.	Rating Voltage (V)	Rating Frequency (Hz)	Power (W)	Air Delivery (M <sup>3</sup> /h)	Nose (dB)	Package Specification		
						Dimension (cm)	Carton Qty(set)	Total Weight(Kg)
KHG-QF-J(8")	110~130V	50/60	24	480	43	55.5x51x29	6	11.2
KHG-QF-J(10")	220~240V	50/60	30	600	45	68.5x51x35.5	6	13.9

### KHG-J2 Ceiling Non-Vent Type Ventilation Fan



Dimensions (mm)

Model	A	B	C	D	E	F	G	H
KHG-QF-J2(8")	270	210	99	223	140	45	165	1.5Kg
KHG-QF-J2(10")	336	250	99	280	140	45	170	1.8Kg



Application





Model No.	Rating Voltage (V)	Rating Frequency (Hz)	Power (W)	Air Delivery (M <sup>3</sup> /h)	Nose (dB)	Package Specification		
						Dimension (cm)	Carton Qty(set)	Total Weight(Kg)
KHG-QF-J2(8")	110~130V	50/60	24	480	43	55.5x51x29	6	11.2
KHG-QF-J2(10")	220~240V	50/60	30	600	45	68.5x51x35.5	6	13.9

## VF-AF Plastic Axial Vent Ceiling Exhaust Fan



**Features:**

- Plastic body
- Elegant design and lower noise.
- Silicon steel motor and 100% pure copper winding
- Built-in thermo-cut-off protect the motor.
- Top grade motor ensure long life
- Fantastic grill design made from ABS covers




**Specification**

Model	Rating Voltage (V)	Input (W)	Air Flow (m³/h)	Nose (dB)	Size (mm)
VF-AF6	220-240	25	330	37	150
VF-AF8	220-240	32	520	40	200
VF-AF10	220-240	42	860	42	250
VF-AF12	220-240	25	1200	47	300

**Dimensions (mm)**



Model	A	B	C	D
VF-AF6				
VF-AF8	240x240	272x272	148	20
VF-AF10	290x290	315x315	155	20
VF-AF12				

## VF-BA Plastic Tubular Ceiling Exhaust Fan with Ultra Cover



**Features:**

- Plastic body
- Elegant design and lower noise.
- Silicon steel motor and 100% pure copper winding
- Built-in thermo-cut-off protect the motor.
- Top grade motor ensure long life
- Fantastic grill design made from ABS covers



**Specification**

Model	Rating Voltage (V)	Input (W)	Air Flow (m³/h)	Nose (dB)	Size (mm)
VF-BA810	220-240	20	150	38	
VF-BA815	220-240	24	200	40	
VF-BA1020	220-240	30	250	43	
VF-BA1030	220-240	36	300	45	

**Dimensions (mm)**



Model	A	B	C	D	E	F
VF-BA810	256x256	20	51	98	205	252
VF-BA815	270x270	20	51	98	228	265
VF-BA1020	316x316	20	51	98	228	310
VF-BA1030	316x316	20	51	98	275	310

## VF-XS Stainless Steel Panel Bathroom Exhaust Fan



**Features:**

- Plastic body
- Elegant design and lower noise.
- Silicon steel motor and 100% pure copper winding
- Built-in thermo-cut-off protect the motor.
- Top grade motor ensure long life
- Fantastic grill design made from ABS covers




**Specification**

Model	Rating Voltage (V)	Input (W)	Air Flow (m³/h)	Nose (dB)	Size (mm)
VF-BC810	220-240	20	150	38	
VF-BC815	220-240	24	200	40	
VF-BC1020	220-240	30	250	43	
VF-BC1030	220-240	36	300	45	

**Dimensions (mm)**



Model	A	B	C	D	E	F
VF-BC810	256x256	20	51	98	205	252
VF-BC815	270x270	20	51	98	228	265
VF-BC1020	316x316	20	51	98	228	310
VF-BC1030	316x316	20	51	98	275	310

## VF-BT Plastic Tubular Ceiling Exhaust Fan with Ultra Cover



**Features:**

- Plastic body
- Elegant design and lower noise.
- Silicon steel motor and 100% pure copper winding
- Built-in thermo-cut-off protect the motor.
- Top grade motor ensure long life
- Fantastic grill design made from ABS covers




**Specification**

Model	Rating Voltage (V)	Input (W)	Air Flow (m³/h)	Nose (dB)	Size (mm)
VF-BT810	220-240	20	150	38	
VF-BT815	220-240	24	200	40	
VF-BT1020	220-240	30	250	43	
VF-BT1030	220-240	36	300	45	

**Dimensions (mm)**



Model	A	B	C	D	E	F
VF-BT810	256x256	10	51	98	205	252
VF-BT815	270x270	10	51	98	228	265
VF-BT1020	316x316	10	51	98	228	310
VF-BT1030	316x316	10	51	98	275	310

## VF-BD Plastic Tubular Ceiling Exhaust Fan



**Features:**

- Plastic body
- Elegant design and lower noise.
- Silicon steel motor and 100% pure copper winding
- Built-in thermo-cut-off protect the motor.
- Top grade motor ensure long life
- Fantastic grill design made from ABS covers





**Specification**

Model	Rating Voltage (V)	Input (W)	Air Flow (m³/h)	Nose (dB)	Size (mm)
VF-BD810	220-240	20	150	38	
VF-BD815	220-240	24	200	40	
VF-BD1020	220-240	30	250	43	
VF-BD1030	220-240	36	300	45	

**Dimensions (mm)**

Model	A	B	C	D	E	F
VF-BD810	256x256	20	51	98	205	256
VF-BD815	270x270	20	51	98	228	265
VF-BD1020	316x316	20	51	98	275	310
VF-BD1030	316x316	20	51	98	275	310

## VF-BL Plastic Tubular Ceiling Exhaust Fan with Light Lamp



**Features:**

- Plastic body with a Lamp for lighting function.
- Elegant design and lower noise.
- Silicon steel motor and 100% pure copper winding
- Built-in thermo-cut-off protect the motor.
- Top grade motor ensure long life
- Fantastic grill design made from ABS covers

**Specification**

Model	Rating Voltage (V)	Input (W)	Air Flow (m³/h)	Nose (dB)	Size (mm)
VF-BL810	220-240	60	150	30	

**Dimensions (mm)**

Model	A	B	C	D	E	F
VF-BL810	256	204	40	33	99	125