



Accessories



Qi Wireless Charger

ITEM CODE	DESCRIPTION	PACKING	MOQ	PRICE (US \$)	PRICE (Aed)
GPUWQ1-NGB1	GP Wireless Charger - Input : D.C. 5V / 1.8A Output : D.C. 5V / 1A		72	18.89	



Multy USB Charger

ITEM CODE	DESCRIPTION	PACKING	MOQ	PRICE (US \$)	PRICE (Aed)
GPU551GS-2GB1	(5) USB ports charger, support to charge (5) electronics devices. Input : AC 100~240V 50~60Hz, 0.65A (Max) USB Output : 5V/5A (Max)		96	11.03	

USB Wall Charger



GPWA31WGSE-2B1



GPWA21WGSE-2B1



GPWA11WGSE-2B1

ITEM CODE	DESCRIPTION	PACKING	MOQ	PRICE (US \$)	PRICE (Aed)
GPWA31WGSE-2B1	3.4A single USB wall charger - Input voltage & current : 100-240VAC, 500mA Max. USB output voltage & current : 5V DC, 3.4A (2.4A + 1A). Number of USB port : 2		80	7.99	
GPWA21WGSE-2B1	2.4A single USB wall charger - Input voltage & current : 100-240VAC, 400mA Max. USB output voltage & current : 5V DC, 2.4A. Number of USB port : 1		80	6.8	
GPWA11WGSE-2B1	1.2A single USB wall charger - Input voltage & current : 100-240VAC, 200mA Max. USB output voltage & current : 5V DC, 1.20A. Number of USB port : 1		80	4.86	

USB Car Charger



GPCC61WE-2B1 GPCC41WE-2B1 GPCC22WE-2B1 GPCC21BE-2B1 GPCC11BE-2B1

ITEM CODE	DESCRIPTION	PACKING	MOQ	PRICE (US \$)	PRICE (Aed)
GPCC61WE-2B1	3 x USB Car Charger. Input voltage & current : 12-24VDC, 2.63A Max. USB output voltage & current : 5V DC, 6.3A (2.4A x 2 + 1.5A x 1). Number of USB port : 3		100	8.24	
GPCC41WE-2B1	2 x USB Car Charger. Input voltage & current : 12-24VDC, 2A Max. USB output voltage & current : 5V DC, 4.8A (Max. 2.4A per USB port). Number of USB port : 2		100	6.71	
GPCC22WE-2B1	1 x USB Car Charger - Input voltage & current : 12-24VDC, 1A Max. USB output voltage & current : 5V DC, 2.4A. Number of USB port : 1		100	3.67	
GPCC21BE-2B1	2 x USB Car Charger - Input voltage & current : 10-16VDC, 1.35A Max. USB output voltage & current : 5V DC, 2.4A shared (Max. 2.4A when only 1 USB port is used.) Number of USB port : 2		100	4.44	
GPCC11BE-2B1	1 x USB Car Charger - Input voltage & current : 10-16VDC, 0.6A Max. USB output voltage & current : 5V DC, 1.2A. Number of USB port : 1		120	3.23	

USB Car Charger



GPCB22WE-2B1 GPCB21WE-2B1 GPCB14WE-2B1 GPCB13WE-2B1 GPCB12WE-2B1 GPCB11WE-2B1

ITEM CODE	DESCRIPTION	PACKING	MOQ	PRICE (US \$)	PRICE (Aed)
GPCB22WE-2B1	Micro USB Cable, 2M Round, White. Data Sync Function : Yes Charging Function : Yes Rated Current : 2.4 A		100	3.05	
GPCB21WE-2B1	MFi lightning USB Cable, 2M Round, White. Data Sync Function : Yes Charging Function : Yes Rated Current : 2.4 A		100	8.69	
GPCB14WE-2B1	Micro USB Cable, 1M Round, White. Data Sync Function : Yes Charging Function : Yes Rated Current : 2.4 A		100	2.4	
GPCB13WE-2B1	MFi lightning USB Cable, 1M Round, White. Data Sync Function : Yes Charging Function : Yes Rated Current : 2.4A		100	7.16	
GPCB12WE-2B1	Micro USB Cable, 1M Flat, White. Data Sync Function : Yes Charging Function : Yes Rated Current : 2.4 A		120	2.4	
GPCB11WE-2B1	MFi lightning cable, 1M Flat, White. Data Sync Function : Yes Charging Function : Yes Rated Current : 2.4 Aww		100	8.37	

Premium Series

**V800C
PowerBank**



15 MINS
CHARGING TIME

- 15 mins to charge up 2 pcs NiMH batteries
- Digital clock
- Easy check 3-color LED icons to show charging status
- Safe standby switch to initiate charging process
- Auto cut-off safety control by voltage, temperature and time to prevent overcharging
- Individual charging channels, can charge 1-4 pcs of NiMH AA or AAA in any combinations
- GP Patented Smart Recharge Technology
- Primary & bad battery detection
- AC100-240V worldwide use



4 x 2700 series AA

PB80

Item Code	Description	Standard Packing	MOQ	Price (US \$)	Price (Aed)
GPPB80GSE270SA-2UW4	Charger PB80 with 4 No. of AA 2700 NiMH	5	500	94.45	348.03

**H500
PowerBank**



2 HRS
CHARGING TIME

- 2 hours to charge up 2 pcs NiMH batteries
- Battery ejector to easily unload batteries
- Easy check 3-color LED icons to show charging status
- Auto cut-off safety control by voltage, temperature and time to prevent overcharging
- Individual charging channels, can charge 1-4 pcs of NiMH AA or AAA in any combinations
- Primary & bad battery detection
- AC100-240V for EU / UK version, AC 100-120V for US version
- DC12V car charging function (optional)



4 x 2700 series AA



4 x 2500 series AA

PB50

Item Code	Description	Standard Packing	MOQ	Price (US \$)	Price (Aed)
GPPB50BSE270-2UW4	Charger PB50 with 4 No. of 2700 AA NiMH	8	504	50.36	185.59
GPPB50GS270-2UW4	Charger PB50 with 4 No. of 2700 AA NiMH	8	504	48.92	180.25
GPPB50GSE210BCAND-2EW4	Charger PB50 with 4 No. of AA 2100 NiMH	8	504	50.95	187.75
GPPB50GSE250CA-2UW4	Charger PB50 with No. of AA 2500 NiMH	8	504	51.31	189.06

Fast Series

PB70
PowerBank



PB70

- 2hours to charge up 1 to 4 pcs NiMH AA or AAA batteries
- 60% reduction in carbon emissions
- Saves 45% energy during charging
- Automatic energy saving mode when charging completed
- Compact design, minimize material production
- LED indicators glow underneath to show charging status
- Auto cut-off safety control by voltage, temperature and time to prevent overcharging
- AC 100-240V worldwide use



4 x 2100 series AA



4 x 850 series AAA

Item Code	Description	Standard Packing	MOQ	Price (US \$)	Price (Aed)
GPPB50BSE270-2UW4	Charger PB50 with 4 No. of 2700 AA NIMh	8	504	50.36	185.59
GPPB50GS270-2UW4	Charger PB50 with 4 No. of 2700 AA NIMh	8	504	48.92	180.25

Mid-Range Series

PB550
PowerBank

- 3 hours to charge up 2 to 4 pcs NiMH AA or AAA batteries
- Auto cut-off safety control by temperature and time to prevent overcharging
- Two charging channels, can charge 2 or 4 pcs NiMH AA or AAA
- Primary & bad battery detection
- Car charging function
- LED indicators
- AC100-240V worldwide use



PB550



4 x 2700 series AA



4 x 2500 series AA

Item Code	Description	Standard Packing	MOQ	Price (US \$)	Price (Aed)
GPPB550GSE270-2UW4	Charger PB550 with 4 No. of AA 2700 NIMh	10	500	39.29	144.77
GPPB550GSE250CA-2UW4	Charger PB550 with 4 No. of AA 2500 NIMh	8	504	37.21	137.14
GPPB550GS210BCA-2EW4	Charger PB550 with 4 No. of AA 2100 NIMh	8	504	37.13	136.83

PB570
PowerBank

- 6 hours to charge up 4 pcs NiMH AA or AAA batteries
- Auto cut-off safety control by temperature and time to prevent overcharging
- Two charging channels, can charge 2 or 4 pcs NiMH AA or AAA
- Primary & bad battery detection
- LED indicators
- AC100-240V worldwide use



PB570



4 x 2700 series AA



4 x 2500 series AA

Item Code	Description	Standard Packing	MOQ	Price (US \$)	Price (Aed)
GPPB570GSE250-2UW4	Charger PB570 with 4 No. of AA 2500 NIMh	10	500	32.43	119.50
GPPB570GS270-2UW4	Charger PB570 with 4 No. of AA 2700 NIMh	10	500	33.50	123.46
GPPB570BS210B-2EE4	Charger PB570 with 4 No. of AA 2100 NIMh	10	500	32.15	118.49

Mid-Range Series

**PB560
PowerBank**



PB560



- 5 hours to charge up 2 pcs NiMH AA or AAA batteries
- Auto cut-off safety control by temperature and time to prevent overcharging
- Individual charging channels can charge 1 or 2 NiMH AA or AAA
- Primary & bad battery detection
- LED indicators
- AC100-240V worldwide use



2 x 2700 series AA

Item Code	Description	Standard Packing	MOQ	Price (US \$)	Price (Aed)
GPPB560GS270-2UW2	Charger PB560 with 2 No. of AA 2700 NiMH	10	500	21.91	80.75

Mid-Range Series

**MINI QUICK
PowerBank**



- 5 hours to charge up 2 pcs NiMH batteries
- Slim and compact design
- Dual color LED indicator
- Auto cut-off safety control by temperature and time to prevent overcharging
- Individual charging channels, can charge 1 or 2 pcs NiMH AA or AAA
- Primary & bad battery detection
- AC100-240V worldwide use



2 x 2500 series AA

Item Code	Description	Standard Packing	MOQ	Price (US \$)	Price (Aed)
GPPB25GS250-2UE2	Charger PB25 with 2 No. of AA 2500 NiMH	7	504	20.47	75.43

Mid-Range Series

**MEGA
PowerBank**



- 6 hours to charge up 8 pcs NiMH batteries
- Slim and unique design
- Two dual color LED indicators
- Auto cut-off safety control by temperature and time to prevent overcharging
- Two charging channels, can charge 4 or 8 pcs NiMH AA or AAA



4 x 1800 series AA

Item Code	Description	Standard Packing	MOQ	Price (US \$)	Price (Aed)
GPPB22GS210-2UW4	PB22 charger GS plug + LSD AA 2100mAh 4 cells card pack	6	504	43.11	158.85
GPPB22GSIE-2UE1	PB22 charger GS plug, 1 cells card pack	8	504	31.77	117.08
GPPB22GSE130EC-2EPW4	PB22 charger GS plug + 1300mAh Eckycyco Power 4 cells European Western card pack	6	504	39.05	143.90
GPPB22GSWE210B-2EW8	PB22 charger GS plug, wall charger + 2100mAh 8 cells European Western card pack	6	504	59.92	220.81
GPPB22GSWE210BND-2EW8	PB22 charger GS plug, wall charger + 2100mAh 8 cells European Western card pack	7	504	59.96	220.94
GPPB22GSMTB-2UE1	PB22 charger GS plug + 1 cells merchandising box	8	504	31.81	117.21

QUICK 3 PowerBank



PB27

- 8 hours to charge up 4 pcs NiMH batteries
- USB output port for charging electronic devices
- Ultra slim design
- Dual color LED indicator
- Auto cut-off safety control by temperature and time to prevent overcharging
- Two charging channels, can charge 2 or 4 pcs NiMH AA or 2 pcs NiMH AAA
- Primary & bad battery detection
- AC100-240V worldwide use



4 x 2700 series AA



4 x 2500 series AA

Item Code	Description	Standard Packing	MOQ	Price (US \$)	Price (Aed)
GPPB27BS270-2UW4	Charger PB27 with 4 No. of AA 2700 NiMH	8	504	32.15	118.47
GPPB27BSE180-2UW4	Charger PB27 with 4 No. of AA 1800 NiMH	8	504	27.35	100.78
GPPB27GS250-2UE4	Charger PB27 with 4 No. of AA 2500 NiMH	8	504	29.89	110.14
GPPB27GS270-2UE4	Charger PB27 with 4 No. of AA 2700 NiMH	8	504	31.48	115.99
GPPB27GSE210B-2EW4	Charger PB27 with 4 No. of AA Recyko	8	504	29.77	109.71

Standard Series

NITE-LITE PowerBank



PB11

- Always plug-in design for instant energy
- Built-in night light function
- Two charging channels, can charge 2 or 4 pcs NiMH AA or AAA
- Additional charging slots for 1 or 2 pcs NiMH 9V batteries
- Two LED indicators



4 x 1800mAh AA



4 x 1300mAh AA

Item Code	Description	Standard Packing	MOQ	Price (US \$)	Price (Aed)
GPPB11GS210-2UE4	Charger PB11 with 4 No. of AA 2100 NiMH	8	504	26.22	96.62
GPPB11GS270-2UE4	Charger PB11 with 4 No. of AA 2700 NiMH	8	504	29.57	108.98

Standard Series

**PB410
PowerBank**



PB410

- Unique design PB420
- Two charging channels, can charge 1-2 pcs NiMH AA or AAA batteries
- Two LED indicators



2 x 1800 series AA



2 x 1300 series AA

Item Code	Description	Standard Packing	MOQ	Price (US \$)	Price (Aed)
GPPB410GSE85B-2EW2	PB410 charger GS plug + Recyko AA 850mAh 2 cells card pack	10	500	11.43	42.13
GPPB410GS-2UE1	Charger PB410	10	500	7.09	26.14
GPPB410BS210B-2EE2	Charger PB410 with 2 No. of AA 2300 NIMh	10	500	15.46	56.98
GPPB410GS130-2UE2	Charger PB410 with 2 No. of AA 1300 NIMh	10	500	10.72	39.50
GPPB410BS-2UE1	Charger PB410	10	500	7.74	28.51
GPPB410BS180-2UE2	Charger PB410 with 2 No. of AA 1800 NIMh	10	500	12.93	47.65
GPPB410BS130-2UE2	Charger PB410 with 2 No. of AA 1300 NIMh	10	500	11.35	41.81
GPPB410BS270-2UE2	Charger PB410 with 2 No. of AA 2700 NIMh	10	500	15.57	57.39

**PB420
PowerBank**



PB420

- Unique design
- Two charging channels, can charge 2 or 4 pcs NiMH AA or AAA batteries
- Two LED indicators



4 x 1800 series AA



4 x 1300 series AA

Item Code	Description	Standard Packing	MOQ	Price (US \$)	Price (Aed)
GPPB420GSE85B-2EW4	PB410 charger GS plug + Recyko AA 850mAh 2 cells card pack	10	500	16.62	61.26
GPPB420GSE130EC-2EPW4	PB420 charger GS plug + 1300mAh Eckyco Power 4 cells European Western card pack	10	500	16.25	59.89
GPPB420GS250-2UW4	Charger PB420 with 4 No. of AA 2500 NIMh	10	500	22.65	83.45
GPPB420GS-2UE1	Charger PB420	10	500	8.47	31.22
GPPB420BS210B-2EE4	Charger PB420 with 4 No. of AA Recyko	10	500	22.65	83.45
GPPB420GS210B/85B-2EE12	PB420 charger GS plug + Recyko AA 2100mAh & AAA 850mAh 12 cells card pack	10	500	34.22	126.12
GPPB420GSE210B/85B-2EW12	PB420 charger GS plug + Recyko AA 2100mAh & AAA 850mAh 12 cells card pack	10	500	34.22	126.12
GPPB420GS210-2UE4	Charger PB420 with 4 No. of AA 2100 NIMh	10	500	20.89	76.99
GPPB420BS130-2UE4	Charger PB420 with 4 No. of AA 1300 NIMh	10	500	16.37	60.33
GPPB420BS180-2UE4	Charger PB420 with 4 No. of AA 1800 NIMh	10	500	19.55	72.03
GPPB420GS130-2UE4	Charger PB420 with 4 No. of AA 1300 NIMh	10	500	15.71	57.88
GPPB420GSA210B-2HB4	PB420 charger GS plug + Recyko AA 2100mAh 4 cells card pack	10	500	26.15	96.38
GPPB420GSE250-2GB4	PB420 charger GS plug + Recyko AA 2500mAh 4 cells giftbox pack	8	504	22.65	83.45

Standard Series

PB330
PowerBank

- Always plug-in design for instant energy
- Two charging channels can charge 1 or 2pcs NiMH AA or AAA
- Two LED indicators



PB330



2 x 1800mAh AA



2 x 1300mAh AA

Item Code	Description	Standard Packing	MOQ	Price (US \$)	Price (Aed)
GPPB330GSC-2UE1	Charger PB330	10	500	5.62	20.70
GPPB330BS-2UE1	Charger PB330	10	500	7.07	26.03
GPPB330GSC130-2UE2	Charger PB330 with 2 No. of AA 1300 NIMh	8	504	11.63	42.85

UNIVERSAL
PowerBank

- Universal for household use
- Charge all sizes of batteries
- Automatic charging current selection
- Two charging channels, can charge 2 or 4 pcs NiMH AA, AAA, C or D
- Additional charging slots for 1 or 2 pcs NiMH 9V batteries
- 3 LED indicators



PB19



Item Code	Description	Standard Packing	MOQ	Price (US \$)	Price (Aed)
GPPB19GS-2UE1	Charger PB19	6	504	32.95	121.44

Standard Series

**PB320
PowerBank**



PB320

- Charge 1 to 4pcs of AA,AAA,C,D and 1 to 2 pcs of 9V NiMH rechargeable batteries
- Built-in timer function for charging in predetermined time
- Discharging function to refresh the battery
- Battery tester function to test the battery condition



Item Code	Description	Standard Packing	MOQ	Price (US \$)	Price (Aed)
GPPB320GS-UE1	Charger PB320	10	1000	24.22	89.25
GPPB320BS-UE1	Charger PB320	10	1000	27.49	101.30

Specialty Series



PB09

**SPECIALTY
PowerBank**

- Special design for charging 9V batteries
- Charge 1 or 2 pcs NiMH 9V
- Two LED indicators

Item Code	Description	Standard Packing	MOQ	Price (US \$)	Price (Aed)
GPPB09GS17R8-2UE2	Charger PB09 with 2 No. of 9Volt 1700 NiMH	8	504	24.23	89.30
GPPB09BS17R8-2UE2	Charger PB09 with 2 No. of 9Volt 1700 NiMH	8	504	24.69	90.98