



CONDUITS & ACCESSORIES



RIGID CONDUITS - HEAVY



Material			
Description	Ordering Code (Black)	Ordering Code (White)	
RIGID CONDUIT - HEAVY GAUGE 20 / 1.8mm	RHFBS20HD/BK	RHFBS20HD/WE	20
RIGID CONDUIT - HEAVY GAUGE 25 / 1.9mm	RHFBS25HD/BK	RHFBS25HD/WE	20
RIGID CONDUIT - HEAVY GAUGE 32 / 2.5mm	RHFBS32HD/BK	RHFBS32HD/WE	10
RIGID CONDUIT - HEAVY GAUGE 38 / 2.5mm	RHFBS38HD/BK	RHFBS38HD/WE	10
RIGID CONDUIT - HEAVY GAUGE 50 / 3.2mm	RHFBS50HD/BK	RHFBS50HD/WE	5



RIGID CONDUITS - MEDIUM



Material			
Description	Ordering Code (Black)	Ordering Code (White)	
RIGID CONDUIT - MEDIUM GAUGE 20 / 1.6mm	RHFPRM20MD/BK	RHFPRM20MD/WE	20
RIGID CONDUIT - MEDIUM GAUGE 25 / 1.8mm	RHFPRM25MD/BK	RHFPRM25MD/WE	20
RIGID CONDUIT - MEDIUM GAUGE 32 / 2.1mm	RHFPRM32MD/BK	RHFPRM32MD/WE	10
RIGID CONDUIT - MEDIUM GAUGE 38 / 2.2mm	RHFPRM38MD/BK	RHFPRM38MD/WE	10
RIGID CONDUIT - MEDIUM GAUGE 50 / 2.5mm	RHFPRM50MD/BK	RHFPRM50MD/WE	5



RIGID CONDUITS - LIGHT



Material			
Description	Ordering Code (Black)	Ordering Code (White)	
RIGID CONDUIT - LIGHT GAUGE 20 / 1.2mm	RHFPRM20LD/BK	RHFPRM20LD/WE	20
RIGID CONDUIT - LIGHT GAUGE 25 / 1.4mm	RHFPRM25LD/BK	RHFPRM25LD/WE	20
RIGID CONDUIT - LIGHT GAUGE 32 / 1.5mm	RHFPRM32LD/BK	RHFPRM32LD/WE	10
RIGID CONDUIT - LIGHT GAUGE 38 / 1.5mm	RHFPRM38LD/BK	RHFPRM38LD/WE	10
RIGID CONDUIT - LIGHT GAUGE 50 / 1.9mm	RHFPRM50LD/BK	RHFPRM50LD/WE	5

- Standard Length 2.9mtr
- Alternative Lengths can be supplied to order.



RIGID CONDUITS SOCKETED - HEAVY



Material			
Description	Ordering Code (Black)	Ordering Code (White)	
RIGID CONDUIT SOCKETED - HEAVY GAUGE 20 / 1.8mm	RHF-9020HD-S/BK	RHF-9020HD-S/WE	20
RIGID CONDUIT SOCKETED - HEAVY GAUGE 25 / 1.9mm	RHF-9025HD-S/BK	RHF-9025HD-S/WE	20
RIGID CONDUIT SOCKETED - HEAVY GAUGE 32 / 2.5mm	RHF-9032HD-S/BK	RHF-9032HD-S/WE	10
RIGID CONDUIT SOCKETED - HEAVY GAUGE 38 / 2.5mm	RHF-9038HD-S/BK	RHF-9038HD-S/WE	10
RIGID CONDUIT SOCKETED - HEAVY GAUGE 50 / 3.2mm	RHF-9050HD-S/BK	RHF-9050HD-S/WE	5



RIGID CONDUITS SOCKETED - MEDIUM



Material			
Description	Ordering Code (Black)	Ordering Code (White)	
RIGID CONDUIT SOCKETED - MEDIUM GAUGE 20 / 1.6mm	RHF-9020MD-S/BK	RHF-9020MD-S/WE	20
RIGID CONDUIT SOCKETED - MEDIUM GAUGE 25 / 1.8mm	RHF-9025MD-S/BK	RHF-9025MD-S/WE	20
RIGID CONDUIT SOCKETED - MEDIUM GAUGE 32 / 2.1mm	RHF-9032MD-S/BK	RHF-9032MD-S/WE	10
RIGID CONDUIT SOCKETED - MEDIUM GAUGE 38 / 2.2mm	RHF-9038MD-S/BK	RHF-9038MD-S/WE	10
RIGID CONDUIT SOCKETED - MEDIUM GAUGE 50 / 2.5mm	RHF-9050MD-S/BK	RHF-9050MD-S/WE	5




RIGID CONDUITS SOCKETED - LIGHT



Material			
Description	Ordering Code (Black)	Ordering Code (White)	
RIGID CONDUIT SOCKETED - LIGHT GAUGE 20 / 1.2mm	RHF-9020LD-S/BK	RHF-9020LD-S/WE	20
RIGID CONDUIT SOCKETED - LIGHT GAUGE 25 / 1.4mm	RHF-9025LD-S/BK	RHF-9025LD-S/WE	20
RIGID CONDUIT SOCKETED - LIGHT GAUGE 32 / 1.5mm	RHF-9032LD-S/BK	RHF-9032LD-S/WE	10
RIGID CONDUIT SOCKETED - LIGHT GAUGE 38 / 1.5mm	RHF-9038LD-S/BK	RHF-9038LD-S/WE	10
RIGID CONDUIT SOCKETED - LIGHT GAUGE 50 / 1.9mm	RHF-9050LD-S/BK	RHF-9050LD-S/WE	5

- Standard Length 2.9mtr
- Alternative Lengths can be supplied to order.



RIGID CONDUITS PVC-U - HEAVY

Material: PVC-U			
Description	Ordering Code (Black)	Ordering Code (White)	
RIGID CONDUIT - HEAVY GAUGE 20 / 1.8mm	9020HD/BK	9020HD/WE	20
RIGID CONDUIT - HEAVY GAUGE 25 / 1.9mm	9025HD/BK	9025HD/WE	20
RIGID CONDUIT - HEAVY GAUGE 32 / 2.5mm	9032HD/BK	9032HD/WE	10
RIGID CONDUIT - HEAVY GAUGE 38 / 2.5mm	9038HD/BK	9038HD/WE	10
RIGID CONDUIT - HEAVY GAUGE 50 / 3.2mm	9050HD/BK	9050HD/WE	5



RIGID CONDUITS PVC-U - MEDIUM

Material: PVC - U			
Description	Ordering Code (Black)	Ordering Code (White)	
RIGID CONDUIT - MEDIUM GAUGE 20 / 1.6mm	9020MD/BK	9020MD/WE	20
RIGID CONDUIT - MEDIUM GAUGE 25 / 1.8mm	9025MD/BK	9025MD/WE	20
RIGID CONDUIT - MEDIUM GAUGE 32 / 2.1mm	9032MD/BK	9032MD/WE	10
RIGID CONDUIT - MEDIUM GAUGE 38 / 2.2mm	9038MD/BK	9038MD/WE	10
RIGID CONDUIT - MEDIUM GAUGE 50 / 2.5mm	9050MD/BK	9050MD/WE	5



RIGID CONDUITS PVC-U - LIGHT

Material: PVC - U			
Description	Ordering Code (Black)	Ordering Code (White)	
RIGID CONDUIT - LIGHT GAUGE 20 / 1.2mm	9020LD/BK	9020LD/WE	20
RIGID CONDUIT - LIGHT GAUGE 25 / 1.4mm	9025LD/BK	9025LD/WE	20
RIGID CONDUIT - LIGHT GAUGE 32 / 1.5mm	9032LD/BK	9032LD/WE	10
RIGID CONDUIT - LIGHT GAUGE 38 / 1.5mm	9038LD/BK	9038LD/WE	10
RIGID CONDUIT - LIGHT GAUGE 50 / 1.9mm	9050LD/BK	9050LD/WE	5

- Standard Length 2.9mtr
- Alternative Lengths can be supplied to order.

CONDUITS SPECIFICATIONS

Nominal Size	20LD	20MD	20HD	25LD	25MD	25HD	32LD	32MD	32HD	38LD	38MD	38HD	50LD	50MD	50HD
Outside Diameter(Nominal)	20.00	20.00	20.00	25.00	25.00	25.00	32.00	32.00	32.00	38.00	38.00	38.00	50.00	50.00	50.00
Wall Thickness(Nominal)	1.20	1.60	1.80	1.40	1.80	1.90	1.50	2.10	2.50	1.50	2.20	2.50	1.90	2.50	3.20
Min. Inside Diameter	17.15	16.35	15.95	21.75	20.95	20.65	28.55	27.35	26.55	34.55	33.15	32.55	45.75	44.45	43.15
Std. Packs(PCS)	20	20	20	20	20	20	10	10	10	10	10	10	5	5	5

*All dimensions in mm