



METAL ENCLOSURES

REXTON Metal Enclosures are designed to accommodate various types of switchgear and controlgear assemblies to suit a variety of electrical installations in commercial and light industrial premises. They are designed for outdoor applications up to IP65.

ENCLOSURES

METAL ENCLOSURES

Features

- Earthing studs on both the body and the door (Fig-3)
- Better weatherproofing and aesthetic looks (Fig-4)
- Easily removable hinges to change the door opening direction
- Better waterproofing with special profiled lip (Fig-5)
- Quarter turn cylindrical lock
- Metal keys and locking mechanism for durability
- Key engaged when the lock is open
- Wall mounting provisions for direct fixing or with optional wall mounting brackets

Specifications

- High quality galvanized iron sheet of up to 1.5mm thickness
- Texture finish polyester powder coated in RAL-7032 light grey colour (Custom colors also available)
- Standard mounting plate with holes for strips (Fig-2, can be supplied separately)
- Complies with IEC 60529/62208 standards
- Complies with CE standards
- Degree of protection IP65/NEMA 4X
- Optional - Transparent door will be provided



Fig-2



Fig-3




Image-4




Image-5

SS Enclosures



METAL ENCLOSURES

METAL ENCLOSURES-SINGLE DOOR



* Optional: Top Gland Plate will be provided with additional price

TRANSPARENT DOOR



REXTON Metal Enclosures are also available with **STAINLESS STEEL DOOR!!**

METAL ENCLOSURES

METERING ENCLOSURES

Metering Enclosures – Single Door

- Made of Gi steel of 1.5 mm thickness, powder coated in RAL 7032 texture finish
- Meter viewing Perspex 150X150mm
- Perspex protection cover with hinges 200X200mm
- Pad locking arrangement
- Gland box attached to the bottom



Sl. No	MODEL NO	KH PART CODE	DESCRIPTION (HxWxD)mm	SIZE (HxWxD)mm
1	RMTE806020	R234806020	METERING ENCLOSURE; 800X600X200	800X600X200
2	RMTE108025	R234108025	METERING ENCLOSURE; 1000X800X250	1000X800X250


TRANSPARENT DOOR

- Door frame made of Gi steel powder coated in RAL-7032 texture finish (custom globs also available)
- UV resistant, flame retardant polycarbonate transparent door pane
- Transparent door pane suitable for outdoor applications



METAL ENCLOSURES

METAL ENCLOSURES-DOUBLE DOOR



Note: This customized design, so kindly contact our sales team before placing the order

ORDERING REFERENCES

For 150mm Depth

Part Code	Description
RXENCL252/150D+MP	250x200Wx150D COMPACT ENCLOSURE + MP
RXENCL32/150D+MP	300x200Wx150D COMPACT ENCLOSURE + MP
RXENCL325/150D+MP	300x250Wx150D COMPACT ENCLOSURE + MP
RXENCL33/150D+MP	300x300Wx150D COMPACT ENCLOSURE + MP
RXENCL43/150D+MP	400x300Wx150D COMPACT ENCLOSURE + MP
RXENCL44/150D+MP	400x400Wx150D COMPACT ENCLOSURE + MP
RXENCL54/150D+MP	500x400Wx150D COMPACT ENCLOSURE + MP
RXENCL64/150D+MP	600x400Wx150D COMPACT ENCLOSURE + MP
RXENCL65/150D+MP	600x500Wx150D COMPACT ENCLOSURE + MP
RXENCL75/150D+MP	700x500Wx150D COMPACT ENCLOSURE + MP
RXENCL86/150D+MP	800x600Wx150D COMPACT ENCLOSURE + MP
RXENCL88/150D+MP	800x800Wx150D COMPACT ENCLOSURE + MP
RXENCL104/150D+MP	1000x400Wx150D COMPACT ENCLOSURE + MP
RXENCL106/150D+MP	1000x600Wx150D COMPACT ENCLOSURE + MP
RXENCL108/150D+MP	1000x800Wx150D COMPACT ENCLOSURE + MP

For 200mm Depth

Part Code	Description
RXENCL325/200D+MP	300x250Wx200D COMPACT ENCLOSURE + MP
RXENCL33/200D+MP	300x300Wx200D COMPACT ENCLOSURE + MP
RXENCL43/200D+MP	400x300Wx200D COMPACT ENCLOSURE + MP
RXENCL44/200D+MP	400x400Wx200D COMPACT ENCLOSURE + MP
RXENCL54/200D+MP	500x400Wx200D COMPACT ENCLOSURE + MP
RXENCL55/200D+MP	500x500Wx200D COMPACT ENCLOSURE + MP
RXENCL64/200D+MP	600x400Wx200D COMPACT ENCLOSURE + MP
RXENCL75/200D+MP	700x500Wx200D COMPACT ENCLOSURE + MP
RXENCL76/200D+MP	700x600Wx200D COMPACT ENCLOSURE + MP
RXENCL65/200D+MP	600x500Wx200D COMPACT ENCLOSURE + MP
RXENCL66/200D+MP	600x600Wx200D COMPACT ENCLOSURE + MP
RXENCL86/200D+MP	800x600Wx200D COMPACT ENCLOSURE + MP
RXENCL88/200D+MP	800x800Wx200D COMPACT ENCLOSURE + MP
RXENCL104/200D+MP	1000x400Wx200D COMPACT ENCLOSURE + MP
RXENCL106/200D+MP	1000x600Wx200D COMPACT ENCLOSURE + MP
RXENCL108/200D+MP	1000x800Wx200D COMPACT ENCLOSURE + MP

For 250mm Depth

Part Code	Description
RXENCL44/250D+MP	400x400Wx250D COMPACT ENCLOSURE + MP
RXENCL54/250D+MP	500x400Wx250D COMPACT ENCLOSURE + MP
RXENCL55/250D+MP	500x500Wx250D COMPACT ENCLOSURE + MP
RXENCL64/250D+MP	600x400Wx250D COMPACT ENCLOSURE + MP
RXENCL65/250D+MP	600x500Wx250D COMPACT ENCLOSURE + MP
RXENCL66/250D+MP	600x600Wx250D COMPACT ENCLOSURE + MP
RXENCL75/250D+MP	700x500Wx250D COMPACT ENCLOSURE + MP
RXENCL76/250D+MP	700x600Wx250D COMPACT ENCLOSURE + MP
RXENCL86/250D+MP	800x600Wx250D COMPACT ENCLOSURE + MP
RXENCL88/250D+MP	800x800Wx250D COMPACT ENCLOSURE + MP
RXENCL104/250D+MP	1000x400Wx250D COMPACT ENCLOSURE + MP
RXENCL106/250D+MP	1000x600Wx250D COMPACT ENCLOSURE + MP
RXENCL108/250D+MP	1000x800Wx250D COMPACT ENCLOSURE + MP



STAINLESS STEEL ENCLOSURES

- Stainless steel enclosure for IP66/NEMA-4X
- Made of stainless steel up to 2mm thickness, 316L grade or equivalent with 2B finish
- Especially made for use in highly-corrosive environment, such as chemical or food industries and places where hygiene is necessary
- Highly polished SS
- Stainless steel enclosures available in all sizes on request

METAL ENCLOSURES

STAINLESS STEEL ENCLOSURES

Stainless Steel Single Door (with Grade SS 304 or 316)



For 200mm Depth

Part Code	Description
RXSSENCL252/150D+MP	250x200Wx150D COMPACT ENCLOSURE + MP
RXSSENCL32/150D+MP	300x200Wx150D COMPACT ENCLOSURE + MP
RXSSENCL325/150D+MP	300x250Wx150D COMPACT ENCLOSURE + MP
RXSSENCL33/150D+MP	300x300Wx150D COMPACT ENCLOSURE + MP
RXSSENCL43/150D+MP	400x300Wx150D COMPACT ENCLOSURE + MP
RXSSENCL44/150D+MP	400x400Wx150D COMPACT ENCLOSURE + MP
RXSSENCL54/150D+MP	500x400Wx150D COMPACT ENCLOSURE + MP
RXSSENCL64/150D+MP	600x400Wx150D COMPACT ENCLOSURE + MP
RXSSENCL65/150D+MP	600x500Wx150D COMPACT ENCLOSURE + MP
RXSSENCL75/150D+MP	700x500Wx150D COMPACT ENCLOSURE + MP
RXSSENCL86/150D+MP	800x600Wx150D COMPACT ENCLOSURE + MP
RXSSENCL88/150D+MP	800x800Wx150D COMPACT ENCLOSURE + MP
RXSSENCL104/150D+MP	1000x400Wx150D COMPACT ENCLOSURE + MP
RXSSENCL106/150D+MP	1000x600Wx150D COMPACT ENCLOSURE + MP
RXSSENCL108/150D+MP	1000x800Wx150D COMPACT ENCLOSURE + MP
RXSSENCL108/200D+MP	1000x800Wx200D COMPACT ENCLOSURE + MP

For 150mm Depth

Part Code	Description
RXSSENCL252/150D+MP	250x200Wx150D COMPACT ENCLOSURE + MP
RXSSENCL32/150D+MP	300x200Wx150D COMPACT ENCLOSURE + MP
RXSSENCL325/150D+MP	300x250Wx150D COMPACT ENCLOSURE + MP
RXSSENCL33/150D+MP	300x300Wx150D COMPACT ENCLOSURE + MP
RXSSENCL43/150D+MP	400x300Wx150D COMPACT ENCLOSURE + MP
RXSSENCL44/150D+MP	400x400Wx150D COMPACT ENCLOSURE + MP
RXSSENCL54/150D+MP	500x400Wx150D COMPACT ENCLOSURE + MP
RXSSENCL64/150D+MP	600x400Wx150D COMPACT ENCLOSURE + MP
RXSSENCL65/150D+MP	600x500Wx150D COMPACT ENCLOSURE + MP
RXSSENCL75/150D+MP	700x500Wx150D COMPACT ENCLOSURE + MP
RXSSENCL86/150D+MP	800x600Wx150D COMPACT ENCLOSURE + MP
RXSSENCL88/150D+MP	800x800Wx150D COMPACT ENCLOSURE + MP
RXSSENCL104/150D+MP	1000x400Wx150D COMPACT ENCLOSURE + MP
RXSSENCL106/150D+MP	1000x600Wx150D COMPACT ENCLOSURE + MP
RXSSENCL108/150D+MP	1000x800Wx150D COMPACT ENCLOSURE + MP
RXSSENCL108/200D+MP	1000x800Wx200D COMPACT ENCLOSURE + MP

For 250mm Depth

Part Code	Description
RXSSENCL44/250D+MP	400x400Wx250D COMPACT ENCLOSURE + MP
RXSSENCL54/250D+MP	500x400Wx250D COMPACT ENCLOSURE + MP
RXSSENCL55/250D+MP	500x500Wx250D COMPACT ENCLOSURE + MP
RXSSENCL64/250D+MP	600x400Wx250D COMPACT ENCLOSURE + MP
RXSSENCL65/250D+MP	600x500Wx250D COMPACT ENCLOSURE + MP
RXSSENCL66/250D+MP	600x600Wx250D COMPACT ENCLOSURE + MP
RXSSENCL75/250D+MP	700x500Wx250D COMPACT ENCLOSURE + MP
RXSSENCL76/250D+MP	700x600Wx250D COMPACT ENCLOSURE + MP
RXSSENCL86/250D+MP	800x600Wx250D COMPACT ENCLOSURE + MP
RXSSENCL88/250D+MP	800x800Wx250D COMPACT ENCLOSURE + MP
RXSSENCL104/250D+MP	1000x400Wx250D COMPACT ENCLOSURE + MP
RXSSENCL106/250D+MP	1000x600Wx250D COMPACT ENCLOSURE + MP
RXSSENCL108/250D+MP	1000x800Wx250D COMPACT ENCLOSURE + MP
RXSSENCL106/150D+MP	1000x600Wx150D COMPACT ENCLOSURE + MP
RXSSENCL108/150D+MP	1000x800Wx150D COMPACT ENCLOSURE + MP
RXSSENCL108/200D+MP	1000x800Wx200D COMPACT ENCLOSURE + MP



REXTON®

Electrifying lifestyle !

International Offices :

MIDDLE EAST-UAE

Rexton Technologies Middle East
M4-18 Saif Zone, P.O. Box: 8080
Sharjah, UAE
Tel: +971 6 509 6666
Fax: +971 6 557 8111
Email: info@rextontechnologies.com

UNITED KINGDOM

Rexton Technologies UK
Newcombe House, Newcombe Way,
Orton Southgate, Peterborough, PE2 6SE
Tel: +44 (0) 0844 372 7750
Fax +44 (0) 0844 372 7760
Email: rexton@redringxpelair.com
info@rextontechnologies.co.uk

BAHRAIN

Rexton Technologies
P.O. Box: 75691, Kingdom of Bahrain
Email: info@rextontechnologies.com

QATAR

Rexton Technologies
P.O. Box: 202368, Doha, Qatar
Tel: +974 4444 0899
Fax: +974 4411 5944
Email: info@rextontechnologies.com

CANADA

Rexton Technologies Canada Inc.
27, River Rock Crescent
Brampton Ontario L7A2V2, Canada
Tel: +1 905 970 9077
Fax: +1 905 495 8277
Email: info@rextontechnologies.ca

USA

Rexton Technologies-US
4607 Sundown Court
Missouri City Houston Texas 77459
Tel: +1 281 962 4646
Fax: +1 281 241 6660
E-mail: info@rextontechnologies.us

INDIA

Cochin

Rexton Automation (India) Pvt. Ltd.
401, Pioneer Towers, Marine Drive
Cochin-682 031, Kerala
Tel: +91 484 4117 777, 4037 777
E-mail: sales@rexton.co.in

Gurgaon

1039, Spaze I-Tech Park
Tower-A, Sohna Road Sector-49
Gurgaon (Haryana)-122018
Tel: +91 124-6517777
Email: sales@rexton.co.in

Bangalore

Rexton Automation (India) Pvt. Ltd.
75, BDA Complex, Indira Nagar,
Bangalore: 560038, Karnataka, India
Tel: +91 80 4123 77 77, 4151 77 77

Follow Us



www.rextontechnologies.com

Member of

